Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) An immunochemical assay for anti-HM1.24 antibody in fluids, said assay comprising the steps of reacting soluble HM1.24 antigen protein with anti-HM1.24 antibody contained in a test sample, wherein the test sample includes fluids, and then detecting or determining the anti-HM1.24 antibody bound to the soluble HM1.24 antigen protein, wherein the soluble HM1.24 antigen protein is a protein consisting of the amino acid sequence modified by lacking the last 17 or 14 amino acid residues from a C-terminus of the amino acid sequence of SEQ ID NO:20.
- 2. (Original) The immunochemical assay according to claim 1 wherein said soluble HM1.24 antigen protein is bound to a support.
- 3. (Withdrawn) An immunochemical assay for soluble HM1.24 antigen protein, said method comprising the steps of reacting anti-HM1.24 antibody and soluble HM1.24 antigen protein contained in a test sample, and then detecting or determining the soluble HM1.24 antigen protein bound to the anti-HM1.24 antibody, wherein the soluble HM1.24 antigenic protein is:
- (a) a protein having the amino acid sequence modified by lacking 17 or 14 amino acid residues from C-terminal in the amino acid sequence shown in SEQ ID NO:20;
- (b) a protein having the amino acid sequence modified by lacking 17 or 14 amino acid residues from C-terminal, and lacking 27 amino acid residues from N-terminal in the amino acid sequence shown in SEQ ID NO:20;

or

(c) a fusion protein comprising the protein described in the above (a) or (b), and a peptide selected from a group consisting of FLAG, 6 x His comprising 6 histidine residues (SEQ ID NO: 30), 10 x His (SEQ ID NO: 31), influenza hemagglutinin, fragments of human c-myc, fragments of VSV-GP, fragments of p18HIV, T7-tag, HSV-tag, E-tag,

fragments of SV40T antigen, lcktag, fragments of α -tubulin, B-tag, and fragments of Protein C, or a polypeptide selected from a group consisting of glutathione S-transferase, HA, the constant regions of immunoglobulin, β -galactosidase, and maltose-binding protein.

4. (Withdrawn) The immunochemical assay according to claim 3 wherein said anti-HM1.24 antibody is bound to a support.

5. (Canceled)

- 6. (Previously Presented) The immunochemical assay according to claim 2, wherein said support is a bead or a plate.
- 7. (Previously Presented) The immunochemical assay according to claim 1 wherein the bound anti-HM1.24 antibody or the bound soluble HM1.24 antigen protein is detected or determined using a primary antibody against the anti-HM1.24 antibody or a primary antibody against the soluble HM1.24 antigen protein, respectively.
- 8. (Previously Presented) The immunochemical assay according to claim 1 wherein the bound anti-HM1.24 antibody or the bound soluble HM1.24 antigen protein is detected or determined using a primary antibody against the anti-HM1.24 antibody or a primary antibody against the soluble HM1.24 antigen protein, respectively, and a second antibody against said primary antibody.
- 9. (Previously Presented) The immunochemical assay according to claim 8, wherein the primary antibody or the second antibody is labeled with a radioisotope, an enzyme, biotin, avidin, or a fluorogenic substance.
- 10. (Withdrawn) The soluble HM1.24 antigen protein having the amino acid sequence modified by lacking 17 or less amino acid residues from the C-terminal in the amino acid sequence as set forth in SEQ ID NO: 1, or a protein having an amino acid sequence modified by lacking 17 or less amino acid residues from the C-terminal, and lacking 27 or less amino acid residues from the N-terminal in the amino acid sequence shown in SEQ ID NO: 1.

- 11. (Withdrawn) A fusion protein of the soluble HM1.24 antigen protein according to claim 10 and another peptide or polypeptide.
- 12. (Withdrawn) DNA encoding the soluble HM1.24 antigen protein or the fusion protein of the soluble HM1.24 antigen protein and another peptide or polypeptide according to claim 10.
- 13. (Previously Presented) The immunochemical assay according to claim 7, wherein the primary antibody is labeled with a radioisotope, an enzyme, biotin, avidin, or a fluorogenic substance.
- 14. (Withdrawn) DNA encoding the soluble HM1.24 antigen protein or the fusion protein of the soluble HM1.24 antigen protein and another peptide or polypeptide according to claim 11.
- 15. (Withdrawn) The immunochemical assay according to claim 4, wherein said support is a bead or a plate.
- 16. (Withdrawn) The immunochemical assay according to claim 4 wherein said support is beads or a plate.
- 17. (Previously Presented) An immunochemical assay for anti-HM1.24 antibody, said assay comprising the steps of reacting soluble HM1.24 antigen protein with anti-HM1.24 antibody contained in a test sample, and then detecting or determining the anti-HM1.24 antibody bound to the soluble HM1.24 antigen protein, wherein the soluble HM1.24 antigen protein is a protein consisting of the amino acid sequence modified by lacking the last 17 amino acid residues from a C-terminus of the amino acid sequence of SEQ ID NO:20.
- 18. (New) An immunochemical assay according to claim 1, wherein the fluids is selected from the group consisting of human fluids, blood and serum.